



Well Child Check Visits- Information Sheet

****These visits must be done on or after birthdays for vaccine spacing****

3-5 Days: Newborn WCC (NB Screening to be done at 7-10 days of age)

2 Week WCC: PHQ9 ONLY (for mother to complete)

2 Month WCC: PediaRix, Hib, PCV 15, RotaTeq * (OK to give vaccines at 6 weeks of age) *

4 Month WCC: PediaRix, Hib, PCV 15, RotaTeq

6 Month WCC: PediaRix, Hib, PCV 15, RotaTeq * (Eligible for FLU vaccine) *

9 Month WCC: No Vaccines.... Spot Vision and ASQ

12 Month/1 Year WCC: MMR, Varicella, Hep A.... Hemoglobin and Lead

15 Month WCC: DTap, Hib, PCV 15

18 Month WCC: Hep A.... Spot Vision, ASQ, MCHAT

24 Month/2 Year WCC: No Vaccines.... Hemoglobin, Lead, ASQ and MCHAT

30 Month/2.5 Year WCC: No Vaccines.... ASQ and MCHAT

3 Year WCC: No Vaccines.... Spot Vision and ASQ

4 Year WCC: KinRix, MMR, Varicella, Hearing, Spot Vision and ASQ

5 Year WCC: No Vaccines.... Hearing, Spot Vision and ASQ

6-10 Year WCC: No Vaccines.... Hearing and Spot Vision * (Hearing @ even years only) *

11 Year WCC: Tdap, Meningitis, HPV (Optional), Lipid and Spot Vision

12-15 Year WCC: No Vaccines.... Spot Vision and PHQ-9/GAD-7 * (Hearing @ 15 years) *



Well Child Check Visits- Information Sheet

16 Year WCC: Meningitis (2), Lipid, Spot Vision and PHQ-9/GAD-7

17-19 Year WCC: No Vaccines.... Spot Vision and PHQ-9/GAD-7* (LIPID @ 18 Year only) *

Spot Vision: @ 9 months, 18 months, 3 years and every year after ** (AT ALL PHYSICALS) **

Hearing: @ 4 to 6 years, 8 to 10 years and 15 years

ASQ: @ 9 months, 18 months, 24 months, 30 months and 3 to 5 years

PHQ-9/GAD-7: @ 12 to 19 years

Hemoglobin and Lead: @ 12 months and 24 months

Lipid: @ 11 years, 16 years and 18 years

HPV Vaccine: 2 doses if started series prior to age 15

Dose 1: 0 months

Dose 2: 6 months later

HPV Vaccine: 3 doses if started 15 years or older

Dose 1: 0 months

Dose 2: 1 to 2 months from dose 1

Dose 3: 6 months from dose 1

** (At least 12 weeks from dose 2 to does 3 and at least 5 months from does 1 to does 3) **

Hep A Vaccine: Dose 2 must be 6 months from dose 1

Men B Vaccine: Dose 2 must be 1 month from does 1

RotaTeq: 3 dose vaccine 4 weeks apart all 3 doses must be given by 8 months of age

FLU Vaccine: 2 doses for first time patients getting FLU vaccine if under age 9 years